Quadrifoglio Group

# Idea+



# IDEA+ RANGE

# SPECIFICATION SHEET


## TOPS

30 mm melamine faced chipboard (MFC) finished with 2 mm matching straight ABS impact resistant edges, easy to clean scratch-resistant anti-reflective melamine. MFC density 670/730 kgs per cubic meter.

Finish options:	BA	GR	RK	FA	OL	NO	CL
	White		Oak	Beech	Elm	Canaletto walnut	Concrete

## **METAL FRAMES**

01, Tube, Jet and System frames made of epoxy powder coated steel tube and sheet metal. Modesty panel made of 1mm epoxy powder coated perforated steel.




## PANEL END LEGS




Panel legs made of 25mm melamine faced chipboard (MFC) with 2mm matching impact resistant Abs straight edges. 18mm Mfc structural modesty panel with matching melamine straight edges. Easy to clean scratch-resistant anti-reflective melamine

Finish options:	BA	GR	RK	FA	OL	NO	CL
	White	Grey	Oak	Beech	Elm	Canaletto walnut	Concrete

# 01 BEAM DESK






01 leg made of 40x40mm 1.5mm steel tube - 3mm folded steel welded brackets.




0-12mm adjustable levelling feet made of polyethylene, 40mm diameter.




(OPTIONAL EXTRA) Height settable telescopic legs from 650mm to 850mm with increments of 20mm in eleven positions.

# TUBE BEAM DESK




# JET DESK

JET LEG WITH TELESCOPIC BEAM




# SYSTEM DESK


SYSTEM LEG WITH TELESCOPIC BEAM



# PANEL DESK




## **BENCH 01**




# LAYOUT


## SINGLE DESKS




## DESKS WITH DESK HIGH CABINET/PEDESTAL



DESKS WITH LOW CREDENZA UNIT (01, Tube, Jet, System)



LINKING AND EXTENSION UNITS FOR DESKS AND BENCH DESKS




Idea+ range

LAYOUT


01 BENCH 60-80 3,8 60-80 124-164 60-80 18 60-8C 80-100-120-140-160-180 80-100-120-140-160-18 80-100-120-140-160-180 80-100-120-140-160-180 60-80 60-80 60-80 3,8 6. -181,5 n, T 60-80 41,5-1 240-280-320-360 240-280-320-360 80-100 0-100 100 60-80 60-80 60-80 60-80 60-80 60-80 80-100 80-100 80-100 60 284-324-60 60 140-160-180 60 160-1 284-324-364

# 01 BENCH WITH DESK HIGH CABINET/PEDESTAL












42,1 120 - 140 - 160 - 180 120 - 140 - 160 - 180 42,1 324,2 - 364,2 - 404,2 - 444,2


3,8

80




P1, 60-80

60-80



# 01 BENCH WITH LOW CREDENZA UNIT



Idea+ range


LAYOUT

# **TECHNICAL FEATURES**

# SINGLE DESKS


#### SINGLE DESK

- 1) 30mm desktop
- 2) Static beam for 01/Tube frames telescopic beam for Jet/System frames
- 3) Structural modesty panel for Panel/Jet/System frames
- 4) Tube frame
- 5) 01 frame
- 6) Jet frame
- 7) System frame
- 8) Panel end legs




#### SINGLE DESK SUPPORTED ON DESK HIGH CABINET/PEDESTAL

- 1) Panel end legs
- 2) System frame
- 3) Jet frame
- 4) 01 frame
- 5) Tube frame
- 6) 30mm desktop
- 7) Static beam for 01/Tube frames telescopic beam for Jet/System frames
- 8) Structural modesty panel for Panel legs
- 9) Linking brackets for desk high cabinets/pedestals
- 10) Desk high cabinet/pedestal



#### SINGLE DESK SUPPORTED ON LOW **CREDENZA UNIT**


- 1) System frame
- 2) Jet frame
- 3) 01 frame
- 4) Tube frame
- 5) 30mm desktop
- 6) Static beam for 01/Tube frames telescopic beam for Jet/System frames
- 7) Tube/Jet/System leg for desks supported on low credenza units
- 8) 01 leg for desks supported on low credenza units
- 9) Metal beams to prevent bending
- 10) Low credenza unit



# **01 BENCHING**


#### BENCH

- 1) 30mm desktop
- 2) Static beams
- 3) 01 legs for bench desks




#### BENCH WITH DESK HIGH CABINET/PEDESTAL

- 1) 30mm desktop
- 2) Static beams
- 3) 01 legs for bench desks
- 4) Linking brackets for desk high cabinets/pedestals
- 5) Desk high double cabinets/pedestals




# BENCH SUPPORTED ON LOW CREDENZA UNITS

- 1) 30mm desktop
- 2) Static beams
- 3) 01 legs for bench desks
- 4) 01 legs for bench desks supported on low credenza units
- 5) Metal beams to prevent bending
- 6) Double low credenza units




# FRAMELESS SCREENS SUPPORTED ON DESK RAIL, CABLE MANAGEMENT

- 1) Melamine frameless screen / fabric covered frameless screen / etched glass frameless screen - includes two U-shaped mounting brackets for fitting to desk rails
- 2) Acoustic frameless screen made of fabric covered thermoformed polyester fibre - includes two mounting brackets for fitting to desk rails




#### OPTIONS FOR SINGLE & BENCH DESKS (a frameless screen may be optionally fitted to the rail)



Metal rail for single desks or for bench desks with 38mm middle gap


- 1) Rail
- 2) Pair of steel fixing brackets, screw to the underside of the top (metal-to-metal)




120-140-160-180 Metal rail with full length flap and cable

#### tray for single desks

- 1) Rail
- 2) Full lenght cable flap
- 4) Metal cable tray






# Metal rail with high capacity cable tray for bench desks with 38mm middle gap

- 1) Rail
- Pair of steel fixing brackets, screw to the underside of the tops (metal-to-metal)
- 3) High capacity metal cable tray



3,8




#### Metal rail with two full length flaps and high capacity cable tray for bench desks with 215mm middle gap

- 1) Rail
- 2) Pair of steel fixing brackets, screw to the
- underside of the tops (metal-to-metal)
- 3) High capacity metal cable tray 4) Full length cable flaps 25 11,1


38.5

# FRAMED SCREENS AND CABLE MANAGEMENT

- Aluminium frame
- Acoustic framed screen, surface made of fabric covered acoustic thermoformed polyester fibre
- Regular framed screens feature six surface options: 8mm MFC panel; •
- balance of the part of the par
- .
- polyurethane foam sheets, fabric covered; translucent pinstriped polycarbonate;
- translucent matt white acrylic.



#### OPTIONS FOR SINGLE & BENCH DESKS (a framed screen is required in all scenarios)



# ACCESSORIES



Ø60mm ABS grommet



Silver effect steel wire basket inclusive of mounting brackets



Translucent ABS cable spine



Tool bar and trays/pen pots



Aluminium cable flap with open ended cable tray under



High capacity metal cable tray for bench desks



Peel-and-stick translucent polycarbonate cable riser



Melamine modesty panel



PVC cable tray (optional extra)



Metal tower for vertical cable management



"Strap" CPU holder



Perforated metal modesty panel

# SUSTAINABILITY & CERTIFICATES




# MATERIALS AND RECYCLABILITY


MFC panels used for the Idea+ range are solely manufactured with 100% recycled wood and fully meet requisites of formaldeyde low emissions (E1 Quality Award Formaldeyde CATAS Certificate). Rasins used for panels and melamines are free of SVHC substances (to be found in the ECHA list updated as of 12/01/2017).


#### DESK WITH METAL FRAME AND MELAMINE MODESTY PANEL





# DESK WITH MELAMINE FRAME AND MELAMINE MODESTY PANEL





Idea+ range

SUSTAINABILITY &CERTIFICATES



## **STANDARDS**

The Idea+ range has passed the following tests as certified by the 🗰 Laboratories in San Giovanni al Natisone - Udine, Italy.



- EN 527-1:2011 Tables and desks dimensions. •
- EN 527-2:2016 General safety requirements.
- UNI 8594:2004 Worktops bend.
- UNI 9086:1987 Leg impact.
- EN 13721 Surface reflectance.
- EN 13722 Surface specular reflection.



## **CERTIFICATES**

Constantly receptive to market requirements, Quadrifoglio Group pay special attention on quality and safety contents in order to provide high products and services. The Company has reached certifications UNI EN ISO 9001/2008, UNI EN ISO 14001/2004 and BS OHSAS 18001/2007 to confirm his policy. Our products are certified and ensured by FSC<sup>™</sup> and ECOLOGICAL PANEL.

COMPANY WITH MANAGEMENT SYSTEM CERTIFIED BY DNV GL = ISO 9001 = = ISO 14001 = = OHSAS 18001 =





# **GREEN ENERGY**

The Company had installed the photovoltaic system with 4.500 solar panels in a 7.350 m<sup>2</sup> surface that covers almost entirely the factory. The photovoltaic is able to produce 1Mw of a quiet green energy, that does not harm the environment and is waste-free. With his high production capacity the photovoltaic allows us to reduce emissions in the atmosphere of all those polluting substances and to those that contribute to the greenhouse effects. Consequently, such measures make us save every year 180 tonne of petrol oil, 440 tonne of CO2, 514kg of sulphur dioxide, 448 kg of nitrogen oxide and 23kg of dust.



### TRANSPORT

Packaging is reduced in order to decrease volumes. Goods collections are responsibily managed and organised with the aim of optimise transports, reducing atmosphere emissions.