

## CLASSE 2

EM 202 Basic - Executive chair

FREZZA




### TECHNICAL DETAILS

**unibody** in mesh covered with fabric, eco-leather or leather on the front and finished with horizontal stitching, fixed to an aluminium body made of side and cross elements, joined together to support and keep the mesh stretched. The upholstered mesh backrest adapts to the user's body shape while properly supporting the spine. White or black painted or polished aluminium finish. Available with high and low backrest.

**armrests** in die-cast aluminium with black or white polyurethane elbow-rests. On request, the elbow-rests can be upholstered to match the seat.

**device** tilting device (with polished finish cover) lockable in 4 positions with lateral adjustment of the backrest's resistance in relation to user's weight. This device allows to change the user's position while maintaining the proper trunk/thigh angle. A soft release system allows the user to control the movement of the backrest when released




**height adjustment** with gas lift system, which allows a 10 cm excursion.

**base** 5-star base in polished aluminium or with black or white epoxy powder coating. Self-locking, dual-tread, rubbered, swivel castors (Ø 60 mm for polished base, Ø 65 mm for white or black painted base).

ergonomics

Classe 2 is equipped with the necessary mechanisms for proper and comfortable use, even for prolonged periods, as long as the following conditions are met: the standard sitting position requires maintaining angles of 90° between torso and thigh, between thigh and leg, and between leg and foot. These last two angles are essential so that the foot, resting completely on the surface below, discharges part of the weight of the lower limb onto it, preventing excessive compression on the back thigh surface and promoting blood circulation to the heart.




base finishes

-  Polished aluminium
-  Black aluminium
-  White aluminium

armrest finishes

-  Black polyurethane
-  White polyurethane
-  Upholstered












backrest mesh finishes

- Cat. K**  
Max  
 S9NE

finishes

**Cat. D**

Skill (eco-leather)

















-  PGM3
-  PGTR
-  PGCD
-  PGTA
-  PGR1
-  PGCG
-  PGBZ
-  PGGB
-  PGVC
-  PGM2
-  PGNE

**Cat. F**

Step

-  STX2
-  STZ9
-  STSB
-  STE1
-  STBS
-  STVU
-  STE4
-  STE3
-  STE2
-  STNE















Chili

-  SOG6
-  SOG2
-  SOG3
-  SOM3
-  SOV2
-  SOR0
-  SOR4
-  SORA
-  SOR7
-  SOR2
-  SOB9
-  SOB8
-  SOV5
-  SOV6
-  SOV7
-  SONE

Stromboli

-  S8G0
-  S8M1
-  S8R1
-  S8R3
-  S8R2
-  S8B3
-  S8B2
-  S8B0
-  S8V2
-  S8NE

Silvertex

-  SBR7
-  SBV1
-  SBR3
-  SBR4
-  SBR5
-  SBR6
-  SBB7
-  SBB3
-  SBB6
-  SBG1
-  SBB1
-  SBM2
-  SBV4
-  SBV6
-  SBV3
-  SBG6


Valencia

-  SWR6
-  SWB1
-  SWV7
-  SWRA
-  SWR8
-  SWR3
-  SWR2
-  SWB8
-  SWG4
-  SWB9
-  SWB2
-  SWM6
-  SWG0
-  SWG8
-  SWG7
-  SWG1


Jet

-  JTW2
-  JTW3
-  JTH2
-  JTGM
-  JTYF
-  JT1R
-  JTRG
-  JTO1
-  JTR1
-  JTVM
-  JT07
-  JTVI
-  JTG3
-  JTV7
-  JTC1
-  JTV8
-  JTB3
-  JTZ6
-  JTM2
-  JTZ0

Magnum (eco-leather)



Connect




Rivet




Era



Go Check




Rondo



Cat. R

Disco Coex




Cat. G


Remix 3



Morph



Focus



Focus Melange



Aida

S3VA	S3MD	S3R8	S3R0	S3MC	S3R5	S3R1
S3R3	S3V2	S3BC	S3B0	S3VD	S3V4	S3G1
S3G2						

---

**Cat. Q**

Steelcut Trio 3

SYR1	SYRO	SYRC	SYRF	SYRE	SYRR	SYMG
SYMA	SYMS	SYBB	SYB1	SYA1	SYAZ	SYV4
SYVM	SYGC	SYV1	SYRG	SYG1	SYAT	

Ecriture

S4B1	S4M0	S4M1	S4M2	S4V1	S4M3	S4V0
S4V2	S4V3	S4NE	S4G2	S4G1	S4G3	S4R0
S4M4						

Ombra

S5R4	S5R3	S5R0	S5R2	S5M0	S5V2	S5V1
S5V0	S5G0	S5R1	S5G1	S5B2	S5B1	S5B0
S5G2						

---

**Cat. P**

Leather

URBI	URBE	URBC	URGR	URGS	URVS	URMR
URMC	UROC	URYE	UROR	URRE	URBS	URVE
URNE						

---

**Cat. PX**

Corrected grain leather

KTBI	KTBE	KTYE	KTRO	KTOC	KTR4	KTRC
KTBX	KTM1	KTM4	KTM2	KTVS	KTG1	KTAZ
KTBL	KTB4	KTGR	KTG3	KTGS	KTNE	

---

**Cat. X**

Elmosoft

ELM3	ELM6	ELM9	ELBC	ELGC	ELMH	ELMG
ELR1	ELV6	ELNE				

Montana

KUM3	KUG2	KUG0	KUM0	KUM1	KUM2
------	------	------	------	------	------

---




## ABACUS

### Executive

High backrest.

Tilting device lockable in 4 positions.


Die-cast aluminium armrests with elbow-rests.



Medium backrest.

Tilting device lockable in 4 positions.

Die-cast aluminium armrests with elbow-rests.



## CLASSE 2

EM 202 Basic -Meeting chair

**FREZZA**




### TECHNICAL DETAILS

**unibody** in mesh covered with fabric, eco-leather or leather on the front and finished with horizontal stitching, fixed to an aluminium body made of side and cross elements, joined together to support and keep the mesh stretched. The upholstered mesh backrest adapts to the user's body shape while properly supporting the spine. White or black painted or polished aluminium finish. Available with medium and low backrest.

**armrests** in die-cast aluminium with black or white polyurethane elbow-rests. On request, the elbow-rests can be upholstered to match the seat.

**device** swivel with automatic return (180° right 180° left rotation) for swivel seat with 5-star base on glides. The device allows the seat to automatically return to its initial position.




**adjustment** height-adjustment with gas lift system, which allows a 10 cm excursion.

**fork support** in die-cast aluminium, polished finish or painted in white or black.

**base** 5-star base in polished aluminium or with black or white epoxy powder coating. Self-locking, dual-tread, rubbered, swivel castors (Ø 60 mm for polished base, Ø 65 mm for white or black painted base) or glides.

ergonomics

Classe 2 is equipped with the necessary mechanisms for proper and comfortable use, even for prolonged periods, as long as the following conditions are met: the standard sitting position requires maintaining angles of 90° between torso and thigh, between thigh and leg, and between leg and foot. These last two angles are essential so that the foot, resting completely on the surface below, discharges part of the weight of the lower limb onto it, preventing excessive compression on the back thigh surface and promoting blood circulation to the heart.



base finishes



Polished aluminium



Black aluminium



White aluminium

elbow-rests finishes



Black polyurethane



White polyurethane



Upholstered

backrest mesh finishes

**Cat. K**  
Max



S9NE

fabrics

**Cat. D**

Skill (eco-leather)



PGM3



PGTR



PGCD



PGTA



PGR1



PGCG



PGBZ



PGGB



PGVC



PGM2



PGNE

**Cat. F**

Step



STX2



STZ9



STSB



STE1



STBS



STVU



STE4



STE3



STE2



STNE

Chili



S0G6



S0G2



S0G3



S0M3



S0V2



S0R0



S0R4



S0RA



S0R7



S0R2



S0B9



S0B8



S0V5



S0V6



S0V7



S0NE

Stromboli



S8G0



S8M1



S8R1



S8R3



S8R2



S8B3



S8B2



S8B0



S8V2



S8NE

Silvertex



SBR7



SBV1



SBR3



SBR4



SBR5



SBR6



SBB7



SBB3



SBB6



SBG1



SBB1



SBM2



SBV4



SBV6



SBV3



SBG6

Valencia



SWR6



SWBI



SWV7



SWRA



SWR8



SWR3



SWR2



SWB8



SWG4



SWB9



SWB2



SWM6



SWG0



SWG8



SWG7



SWG1

Jet



JTW2



JTW3



JTH2



JTGM



JTYF



JT1R



JTRG



JTO1



JTR1



JTVM



JT07



JTV1



JTG3



JTV7



JTC1



JTV8



JTB3



JTZ6




JTM2




JTZ0

Magnum (eco-leather)



Connect




Rivet




Era



Go Check



Rondo



Cat. R

Disco Coex




Cat. G


Remix 3



Morph



Focus



Focus Melange



Aida




Cat. Q


Steelcut Trio 3



Ecriture



Ombra



Cat. P

Leather



Cat. PX

Corrected grain leather



Cat. X

Elmosoft




Montana




## ABACUS

### Meeting


Medium backrest.  
Gas lift system.  
5-star base on castors.



Medium backrest.  
Swivel device with automatic return.  
5-star base with glides.



Low backrest.  
Gas lift system.  
5-star base on castors.



## CLASSE 2

EM 202 Basic - Visitor chair

FREZZA




### TECHNICAL DETAILS

unibody	in mesh covered with fabric, eco-leather or leather on the front and finished with horizontal stitching, fixed to an aluminium body made of side and cross elements, joined together to support and keep the mesh stretched. The upholstered mesh backrest adapts to the user's body shape while properly supporting the spine. White or black painted or polished aluminium finish. Available with low backrest.
armrests	<u>in die-cast aluminium</u> with black or white polyurethane elbow-rests. On request, the elbow-rests can be upholstered to match the seat.
device	<u>swivel with automatic return</u> (180° right 180° left rotation) for swivel seat with 5-star base on glides. The device allows the seat to automatically return to its initial position.



fork support	in die-cast aluminium, polished finish or painted in white or black.
base	- <u>5-star base</u> in polished aluminium or with black or white epoxy powder coating. With glides. - oval steel tube <u>cantilever frame</u> (with reinforcing core in the front curvature), chromed or white and black painted.

ergonomics Classe 2 is equipped with the necessary mechanisms for proper and comfortable use, even for prolonged periods, as long as the following conditions are met: the standard sitting position requires maintaining angles of 90° between torso and thigh, between thigh and leg, and between leg and foot. These last two angles are essential so that the foot, resting completely on the surface below, discharges part of the weight of the lower limb onto it, preventing excessive compression on the back thigh surface and promoting blood circulation to the heart.



finishes for base on glides



Polished aluminium



Black aluminium



White aluminium

cantilever frame finishes



Chromed steel



Black steel



White steel

backrest mesh finishes

**Cat. K**

Max



S9NE

fabrics

**Cat. D**

Skill (eco-leather)



PGM3



PGTR



PGCD



PGTA



PGR1



PGCG



PGBZ



PGGB



PGVC



PGM2



PGNE

**Cat. F**

Step



STX2



STZ9



STBS



STE1



STBS



STVU



STE4



STE3



STE2



STNE

Chili



SOG6



SOG2



SOG3



SOM3



SOV2



SOR0



SOR4



SORA



SOR7



SOR2



SOB9



SOB8



SOV5



SOV6



SOV7



SONE

Stromboli



S8G0



S8M1



S8R1



S8R3



S8R2



S8B3



S8B2



S8B0



S8V2



S8NE

Silvertex



SBR7



SBV1



SBR3



SBR4



SBR5



SBR6



SBB7



SBB3



SBB6



SBG1



SBB1



SBM2



SBV4



SBV6



SBV3



SBG6

Valencia



SWR6



SWBI



SWV7



SWRA



SWR8



SWR3



SWR2



SWB8



SWG4



SWB9



SWB2



SWM6



SWG0



SWG8



SWG7



SWG1

Jet



JTW2



JTW3



JTH2



JTGM



JTYF



JT1R



JTRG



JTO1



JTR1



JTVM



JT07



JTVI



JTG3



JTV7



JTC1



JTV8



JTB3



JTZ6



JTM2



JTZ0

Magnum (eco-leather)



T5G7



T5B0



T5B6



T5B2



T5B5



T5R4



T5R6



T5V3



T5G1



T5M6



T5M5



T5G4



T5M3



T5V8



T5NE

Connect



T6G0



T6G1



T6G2



T6R0



T6R1



T6R2



T6V5



T6V6



T6B6



T6NE




Rivet




Era



Go Check



Rondo



Cat. R

Disco Coex




Cat. G


Remix 3



Morph



Focus



Focus Melange



Aida




### Cat. Q

Steelcut Trio 3



Ecriture



Ombra



### Cat. P

Leather



### Cat. PX

Corrected grain leather



### Cat. X

Elmosoft



Montana



## ABACUS

### Visitor

Swivel device with automatic return.  
5.star base on glides.

Cantilever frame.

