




TECHNICAL DETAILS

backrest	in black nylon, covered with stretch polyester mesh cover appropriately tensioned and covered with fabric or eco-leather at the front, with height-adjustable lumbar support (60 mm). It allows to personalise the contact between the backrest and the back of the user, particularly in the lower back area, following the natural curves of the spine. Nylon seat/backrest connection. Available with medium backrest.
----------	---




seat	in plastic with steel reinforcement bars, anatomically shaped polyurethane foam padding, black polypropylene under seat cover.
------	--

headrest	fixed.
----------	--------


armrests	<u>fixed</u> : in black nylon.
----------	--------------------------------

1D adjustable: (height 90 mm) in black soft touch.


2D adjustable: (height 90 mm, depth 46 mm) in black soft touch.




device synchronised lockable in 3 positions with frontal adjustment of the backrest resistance in relation to the user's weight and anti-shock backrest release system. This mechanism dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released.




device synchronised lockable in 3 positions with seat depth adjustment (60 mm), with adjustment of the backrest resistance in relation to the user's weight. Anti-shock backrest release system. This mechanism dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released. The seat depth adjustment provides adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs.



device synchronised self-calibrating with 3-position adjustment (oscillation angles: position 0: backrest 0.4° seat 1.5°; position 1: backrest 7.9° seat 0.76°; position 2: backrest 16.9° seat 3.3°) and anti-shock release system. This mechanism allows the backrest to adapt automatically to the user's weight without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat.




device synchronised self-calibrating with 3-position adjustment with seat depth adjustment (70 mm). Oscillation angles: position 0: backrest 0.4° seat 1.5°; position 1: backrest 7.9° seat 0.76°; position 2: backrest 16.9° seat 3.3°) and anti-shock release system. This mechanism allows the backrest to adapt automatically to the user's weight without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat. The seat depth adjustment provides adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs.



height adjustment by gas lift. Allows an excursion of 13 cm.

base 5-star base in black nylon or die-cast aluminium. Self-locking dual-tread rubbered swivel castors, Ø 50 mm

ergonomics Takk is equipped with the necessary mechanisms for correct and comfortable use, even for prolonged periods, provided that the following conditions are met: the standard sitting position requires the maintenance of angles of 90° between the torso and thigh, between the thigh and leg and between the leg and foot. These last two angles are essential so that the foot, resting completely on the underlying surface, can unload part of the weight of the lower limb onto it, avoiding excessive compression on the posterior surface of the thigh and favouring the return of the blood circulating in the leg veins towards the heart.



base finishes Polished aluminium Black nylon

mesh **Cat. E**
Polo
 RPZ0

Cat. V
Volley FR
 R6NE

fabrics **Cat. B**
Bondai
 TBB2 TBB1 TBB6 TBB4 TBV2 TBR2 TBR1
 TBMN TBR3 TBR0 TBV1 TBV4 TBV0 TBB0
 TBM1 TBBE TBGC TBAV TBG0 TBZ0

Cat. H
Madrid 3D
 T3M0 T3V0 T3V2 T3B2 T3V4 T3M3 T3B3

Boss FR (eco-leather)
 T4BI T4M5 T4M8 T4M6 T4M4 T4M7 T4M3
 T4M0 T4M1 T4M2 T4V0 T4G0 T4G1 T4R1
 T4R0 T4B0 T4B1 T4V4 T4V1 T4NE

Cat. D
King Flex
 XFML XFB2 XFAZ XFH6 XFB4 XFBX XFRM
 XFZC XFM0 XFS2 XFYD XFYS XFV1 XFVM
 XFV0 XFB0 XFGC XFGS XFJ1 XFM1 XFCD
 XFZO

Time						
S6G2	S6V0	S6R2	S6R1	S6R6	S6R3	S6R5
S6B7	S6B1	S6B0	S6B4	S6V1	S6V3	S6V4
S6M2	S6M1	S6M0	S6G0	S6B5	S6G1	

Skill (ecopelle)						
PGM3	PGTR	PGCD	PGTA	PGR1	PGCG	PGBZ
PGGB	PGVC	PGM2	PGNE			

Cat. F

Step						
STX2	STZ9	STSB	STE1	STBS	STVU	STE4
STE3	STE2	STNE				

Chili						
S0G6	S0G2	S0G3	S0M3	S0V2	S0R0	S0R4
S0RA	S0R7	S0R2	S0B9	S0B8	S0V5	S0V6
S0V7	S0NE					

Stromboli						
S8G0	S8M1	S8R1	S8R3	S8R2	S8B3	S8B2
S8B0	S8V2	S8NE				

Silververtex						
SBR7	SBV1	SBR3	SBR4	SBR5	SBR6	SBB7
SBB3	SBB6	SBG1	SBB1	SBM2	SBV4	SBV6
SBV3	SBG6					

Valencia						
SWR6	SWBI	SWV7	SWRA	SWR8	SWR3	SWR2
SWB8	SWG4	SWB9	SWB2	SWM6	SWG0	SWG8
SWG7	SWG1					

Jet						
JTW2	JTW3	JTH2	JTGM	JTYF	JT1R	JTRG
JTO1	JTR1	JTVM	JT07	JTV1	JTG3	JTV7
JTC1	JTV8	JTB3	JTZ6	JTM2	JTZ0	

Magnum (eco-leather)						
T5G7	T5B0	T5B6	T5B2	T5B5	T5R4	T5R6
T5V3	T5G1	T5M6	T5M5	T5G4	T5M3	T5V8
T5NE						

Connect						
T6G0	T6G1	T6G2	T6R0	T6R1	T6R2	T6V5
T6V6	T6B6	T6NE				

Rivet						
T7B1	T7B4	T7B2	T7R6	T7R0	T7R1	T7R2
T7R3	T7V0	T7V5	T7V4	T7V3	T7G3	T7G1
T7G4	T7G7					


Era



Go Check




Rondo



Cat. G


Focus



Focus Melange



Savanna





ABACUS

Synchronised lockable in 3 positions

Synchronised lockable in 3 positions + seat depth adjustment



Without armrests

Without armrests





Fixed armrests

Fixed armrests





1D adjustable armrests

1D adjustable armrests




2D adjustable armrests


2D adjustable armrests



2D adjustable armrests + headrest




2D adjustable armrests + headrest




Synchronised self-calibrating with 3-position adjustment

Without armrests




Synchronised self-calibrating with 3-position adjustment + seat depth adjustment


Without armrests




Fixed armrests




Fixed armrests




1D adjustable armrests




1D adjustable armrests




2D adjustable armrests




2D adjustable armrests



2D adjustable armrests + headrest




2D adjustable armrests + headrest





TECHNICAL DETAILS

backrest	in black nylon, covered with stretch polyester mesh cover appropriately tensioned and height-adjustable lumbar support (60 mm). It allows to personalise the contact between the backrest and the back of the user, particularly in the lower back area, following the natural curves of the spine. Nylon seat/backrest connection. Available with medium backrest, with or without headrest.
----------	---




seat	in plastic with steel reinforcement bars, anatomically shaped polyurethane foam padding, black polypropylene under seat cover.
------	--

headrest	fixed.
----------	--------


armrests	<u>fixed</u> : in black nylon.
----------	--------------------------------

1D adjustable: (height 90 mm) in black soft touch.


2D adjustable: (height 90 mm, depth 46 mm) in black soft touch.




device synchronised lockable in 3 positions with frontal adjustment of the backrest resistance in relation to the user's weight and anti-shock backrest release system. This mechanism dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released.

















































device synchronised lockable in 3 positions with seat depth adjustment (60 mm), with adjustment of the backrest resistance in relation to the user's weight. Anti-shock backrest release system. This mechanism dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released. The seat depth adjustment provides adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs.



device synchronised self-calibrating with 3-position adjustment (oscillation angles: position 0: backrest 0.4° seat 1.5°; position 1: backrest 7.9° seat 0.76°; position 2: backrest 16.9° seat 3.3°) and anti-shock release system. This mechanism allows the backrest to adapt automatically to the user's weight without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat.



device	<p><u>synchronised self-calibrating with 3-position adjustment with seat depth adjustment</u> (70 mm). Oscillation angles: position 0: backrest 0.4° seat 1.5°; position 1: backrest 7.9° seat 0.76°; position 2: backrest 16.9° seat 3.3°) and anti-shock release system. This mechanism allows the backrest to adapt automatically to the user's weight without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat. The seat depth adjustment provides adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs.</p> <div><div><div>Right lever adjusts the height of the seat</div><div>Left hand lever adjusts seat depth</div></div></div>						
height adjustment	by gas lift. Allows an excursion of 13 cm.						
base	<u>5-star base</u> in black nylon or die-cast aluminium. Self-locking dual-tread rubbered swivel castors, Ø 50 mm						
ergonomics	<p>Takk is equipped with the necessary mechanisms for correct and comfortable use, even for prolonged periods, provided that the following conditions are met: the standard sitting position requires the maintenance of angles of 90° between the torso and thigh, between the thigh and leg and between the leg and foot. These last two angles are essential so that the foot, resting completely on the underlying surface, can unload part of the weight of the lower limb onto it, avoiding excessive compression on the posterior surface of the thigh and favouring the return of the blood circulating in the leg veins towards the heart.</p>						
base finishes	 Polished aluminium	 Black nylon					
mesh	<div><div><div>Cat. E Polo</div><div> RPRO RPBI RPG1 RPGR RPRE RPZO</div></div><div><div>Cat. N Spin</div><div> S1V1 S1B8 S1R0 S1V0 S1G4 S1G0 S1G2 S1NE</div></div><div><div>Cat. V Volley FR</div><div> R6NE</div></div></div>						
fabrics	<div><div><div>Cat. B Bondai</div><div> TBB2 TBB1 TBB6 TBB4 TBV2 TBR2 TBR1 TBMN TBR3 TBR0 TBV1 TBV4 TBV0 TBB0 TBM1 TBBE TBGC TBAV TBG0 TBZ0</div></div><div><div>Cat. H Madrid 3D</div><div> T3M0 T3V0 T3V2 T3B2 T3V4 T3M3 T3B3</div></div></div>						

Boss FR (eco-leather)

 T4BI	 T4M5	 T4M8	 T4M6	 T4M4	 T4M7	 T4M3
 T4M0	 T4M1	 T4M2	 T4V0	 T4G0	 T4G1	 T4R1
 T4R0	 T4B0	 T4B1	 T4V4	 T4V1	 T4NE	

Cat. D












King Flex

 XFML	 XFB2	 XFAZ	 XFH6	 XFB4	 XFBX	 XFRM
 XFZC	 XFM0	 XFS2	 XFYD	 XFYS	 XFBV1	 XFVM
 XFV0	 XFB0	 XFGC	 XFGS	 XFJ1	 XFM1	 XFCD
 XFZ0						

Time

 S6G2	 S6V0	 S6R2	 S6R1	 S6R6	 S6R3	 S6R5
 S6B7	 S6B1	 S6B0	 S6B4	 S6V1	 S6V3	 S6V4
 S6M2	 S6M1	 S6M0	 S6G0	 S6B5	 S6G1	

Skill (eco-leather)

















 PGM3	 PGTR	 PGCD	 PGTA	 PGR1	 PGCG	 PGBZ
 PGBB	 PGVC	 PGM2	 PGNE			

Cat. F

Step

 STX2	 STZ9	 STSB	 STE1	 STBS	 STVU	 STE4
 STE3	 STE2	 STNE				

















Chili

 S0G6	 S0G2	 S0G3	 S0M3	 S0V2	 S0R0	 S0R4
 S0RA	 S0R7	 S0R2	 S0B9	 S0B8	 S0V5	 S0V6
 S0V7	 S0NE					

Stromboli

 S8G0	 S8M1	 S8R1	 S8R3	 S8R2	 S8B3	 S8B2
 S8B0	 S8V2	 S8NE				

Silvertex

 SBR7	 SBV1	 SBR3	 SBR4	 SBR5	 SBR6	 SBB7
 SBB3	 SBB6	 SBG1	 SBB1	 SBM2	 SBV4	 SBV6
 SBV3	 SBG6					


Valencia

 SWR6	 SWBI	 SWV7	 SWRA	 SWR8	 SWR3	 SWR2
 SWB8	 SWG4	 SWB9	 SWB2	 SWM6	 SWG0	 SWG8
 SWG7	 SWG1					

Jet

 JTW2	 JTW3	 JTH2	 JTGM	 JTYF	 JT1R	 JTRG
 JTO1	 JTR1	 JTVM	 JT07	 JTVI	 JTG3	 JTV7
 JTC1	 JTV8	 JTB3	 JTZ6	 JTM2	 JTZ0	

Magnum (eco-leather)



Connect




Rivet




Era



Go Check




Rondo



Cat. G


Focus



Focus Melange




Savanna




ABACUS

Synchronised lockable in 3 positions


Without armrests.




Fixed armrests.



1D adjustable armrests.




2D adjustable armrests.




Synchronised lockable in 3 positions + seat depth adjustment


Without armrests.




Fixed armrests.




1D adjustable armrests.




2D adjustable armrests.



2D adjustable armrests + headrest.




2D adjustable armrests + headrest.




Synchronised self-calibrating with 3-position adjustment

Without armrests.




Synchronised self-calibrating with 3-position adjustment + seat depth adjustment


Without armrests.




Fixed armrests.




Fixed armrests.




1D adjustable armrests.




1D adjustable armrests.




2D adjustable armrests.




2D adjustable armrests.



2D adjustable armrests + headrest.




2D adjustable armrests + headrest.





TECHNICAL DETAILS


backrest	in white nylon, covered with stretch polyester mesh cover appropriately tensioned and covered with fabric or eco-leather at the front, with height-adjustable lumbar support (60 mm). It allows to personalise the contact between the backrest and the back of the user, particularly in the lower back area, following the natural curves of the spine. Nylon backrest/seat connection. Available with medium backrest, with or without headrest.
----------	---




seat	in plastic with steel reinforcement bars, anatomically shaped polyurethane foam padding and white polypropylene under-seat cover.
------	---

headrest	fixed
----------	-------


armrests	<u>1D adjustable</u> : (height 60 mm) in white nylon with black armpads.
----------	--




device synchronised lockable in 3 positions with frontal adjustment of the backrest resistance in relation to the user's weight and anti-shock backrest release system. This mechanism dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released.






















































































































































device synchronised lockable in 3 positions with seat depth adjustment (60 mm), with adjustment of the backrest resistance in relation to the user's weight. Anti-shock backrest release system. This mechanism dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released. The seat depth adjustment provides adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs.



device synchronised self-calibrating with 3-position adjustment (oscillation angles: position 0: backrest 0.4° seat 1.5°; position 1: backrest 7.9° seat 0.76°; position 2: backrest 16.9° seat 3.3°) and anti-shock release system. This mechanism allows the backrest to adapt automatically to the user's weight without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat.



device	<p><u>synchronised self-calibrating with 3-position adjustment with seat depth adjustment</u> (70 mm). Oscillation angles: position 0: backrest 0.4° seat 1.5°; position 1: backrest 7.9° seat 0.76°; position 2: backrest 16.9° seat 3.3°) and anti-shock release system. This mechanism allows the backrest to adapt automatically to the user's weight without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat. The seat depth adjustment provides adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs.</p>  <p>Right lever adjusts the height of the seat</p> <p>Left hand lever adjusts seat depth</p>																																																						
height adjustment	by gas lift. Allows an excursion of 13 cm.																																																						
base	<u>5-star base</u> in white nylon or die-cast aluminium. Self-locking dual-tread rubbered swivel castors, Ø 65 mm standard (Ø 50 mm for aluminium base)																																																						
ergonomics	<p>Takk is equipped with the necessary mechanisms for correct and comfortable use, even for prolonged periods, provided that the following conditions are met: the standard sitting position requires the maintenance of angles of 90° between the torso and thigh, between the thigh and leg and between the leg and foot. These last two angles are essential so that the foot, resting completely on the underlying surface, can unload part of the weight of the lower limb onto it, avoiding excessive compression on the posterior surface of the thigh and favouring the return of the blood circulating in the leg veins towards the heart.</p>																																																						
base finishes	 Polished aluminium  White nylon																																																						
mesh	<p>Cat. E Polo  RPBI</p> <p>Cat. V Volley FR  R6NE</p>																																																						
fabrics	<p>Cat. B Bondai</p> <table> <tr> <td> TBB2</td> <td> TBB1</td> <td> TBB6</td> <td> TBB4</td> <td> TBV2</td> <td> TBR2</td> <td> TBR1</td> </tr> <tr> <td> TBMN</td> <td> TBR3</td> <td> TBR0</td> <td> TBV1</td> <td> TBV4</td> <td> TBV0</td> <td> TBB0</td> </tr> <tr> <td> TBM1</td> <td> TBBE</td> <td> TBGC</td> <td> TBAV</td> <td> TBG0</td> <td> TBZ0</td> <td></td> </tr> </table> <p>Cat. H Madrid 3D</p> <table> <tr> <td> T3M0</td> <td> T3V0</td> <td> T3V2</td> <td> T3B2</td> <td> T3V4</td> <td> T3M3</td> <td> T3B3</td> </tr> </table> <p>Boss FR (eco-leather)</p> <table> <tr> <td> T4BI</td> <td> T4M5</td> <td> T4M8</td> <td> T4M6</td> <td> T4M4</td> <td> T4M7</td> <td> T4M3</td> </tr> <tr> <td> T4M0</td> <td> T4M1</td> <td> T4M2</td> <td> T4V0</td> <td> T4G0</td> <td> T4G1</td> <td> T4R1</td> </tr> <tr> <td> T4R0</td> <td> T4B0</td> <td> T4B1</td> <td> T4V4</td> <td> T4V1</td> <td> T4NE</td> <td></td> </tr> </table>						 TBB2	 TBB1	 TBB6	 TBB4	 TBV2	 TBR2	 TBR1	 TBMN	 TBR3	 TBR0	 TBV1	 TBV4	 TBV0	 TBB0	 TBM1	 TBBE	 TBGC	 TBAV	 TBG0	 TBZ0		 T3M0	 T3V0	 T3V2	 T3B2	 T3V4	 T3M3	 T3B3	 T4BI	 T4M5	 T4M8	 T4M6	 T4M4	 T4M7	 T4M3	 T4M0	 T4M1	 T4M2	 T4V0	 T4G0	 T4G1	 T4R1	 T4R0	 T4B0	 T4B1	 T4V4	 T4V1	 T4NE	
 TBB2	 TBB1	 TBB6	 TBB4	 TBV2	 TBR2	 TBR1																																																	
 TBMN	 TBR3	 TBR0	 TBV1	 TBV4	 TBV0	 TBB0																																																	
 TBM1	 TBBE	 TBGC	 TBAV	 TBG0	 TBZ0																																																		
 T3M0	 T3V0	 T3V2	 T3B2	 T3V4	 T3M3	 T3B3																																																	
 T4BI	 T4M5	 T4M8	 T4M6	 T4M4	 T4M7	 T4M3																																																	
 T4M0	 T4M1	 T4M2	 T4V0	 T4G0	 T4G1	 T4R1																																																	
 T4R0	 T4B0	 T4B1	 T4V4	 T4V1	 T4NE																																																		

Cat. D












King Flex

 XFML	 XFB2	 XFAZ	 XFH6	 XFB4	 XFBX	 XFRM
 XFZC	 XFM0	 XFS2	 XFYD	 XFYS	 XFV1	 XFVM
 XFV0	 XFB0	 XFGC	 XFGS	 XFJ1	 XFM1	 XFCD
 XFZ0						

Time

 S6G2	 S6V0	 S6R2	 S6R1	 S6R6	 S6R3	 S6R5
 S6B7	 S6B1	 S6B0	 S6B4	 S6V1	 S6V3	 S6V4
 S6M2	 S6M1	 S6M0	 S6G0	 S6B5	 S6G1	

Skill (eco-leather)














 PGM3	 PGTR	 PGCD	 PGTA	 PGR1	 PGCG	 PGBZ
 PGBB	 PGVC	 PGM2	 PGNE			

Cat. F

Step

 STX2	 STZ9	 STSB	 STE1	 STBS	 STVU	 STE4
 STE3	 STE2	 STNE				

















Chili

 S0G6	 S0G2	 S0G3	 S0M3	 S0V2	 S0R0	 S0R4
 S0RA	 S0R7	 S0R2	 S0B9	 S0B8	 S0V5	 S0V6
 S0V7	 S0NE					

Stromboli

 S8G0	 S8M1	 S8R1	 S8R3	 S8R2	 S8B3	 S8B2
 S8B0	 S8V2	 S8NE				

Silvertex

 SBR7	 SBV1	 SBR3	 SBR4	 SBR5	 SBR6	 SBB7
 SBB3	 SBB6	 SBG1	 SBB1	 SBM2	 SBV4	 SBV6
 SBV3	 SBG6					
















Valencia

 SWR6	 SWBI	 SWV7	 SWRA	 SWR8	 SWR3	 SWR2
 SWB8	 SWG4	 SWB9	 SWB2	 SWM6	 SWG0	 SWG8
 SWG7	 SWG1					


Jet

 JTW2	 JTW3	 JTH2	 JTGM	 JTYF	 JT1R	 JTRG
 JTO1	 JTR1	 JTVM	 JT07	 JTV1	 JTG3	 JTV7
 JTC1	 JTV8	 JTB3	 JTZ6	 JTM2	 JTZ0	

Magnum (eco-leather)

 T5G7	 T5B0	 T5B6	 T5B2	 T5B5	 T5R4	 T5R6
 T5V3	 T5G1	 T5M6	 T5M5	 T5G4	 T5M3	 T5V8
 T5NE						

Connect




Rivet




Era



Go Check




Rondo



Cat.G


Focus



Focus Melange




Savanna




ABACO

Synchronised lockable in 3 positions


Without armrests.



1D adjustable armrests.




1D adjustable armrests + headrest.




Synchronised lockable in 3 positions with seat depth adjustment


Without armrests.



1D adjustable armrests.




1D adjustable armrests + headrest.




Synchronised self-calibrating with 3-position adjustment


Without armrests.



1D adjustable armrests.




1D adjustable armrests + headrest.




Synchronised self-calibrating with 3-position adjustment with seat depth adjustment


Without armrests.



1D adjustable armrests.




1D adjustable armrests + headrest.






TECHNICAL DETAILS


backrest	in white nylon, covered with stretch polyester mesh cover appropriately tensioned and height-adjustable lumbar support (60 mm). It allows to personalise the contact between the backrest and the back of the user, particularly in the lower back area, following the natural curves of the spine. Nylon backrest/seat connection. Available with medium backrest, with or without headrest.
----------	---




seat	in plastic with steel reinforcement bars, anatomically shaped polyurethane foam padding and white polypropylene under-seat cover.
headrest	fixed
armrests	<u>1D adjustable</u> : (height 60 mm) in white nylon with black armpads.




synchronised lockable in 3 positions with frontal adjustment of the backrest resistance in relation to the user's weight and anti-shock backrest release system. This mechanism dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released.




synchronised lockable in 3 positions with seat depth adjustment (60 mm), with adjustment of the backrest resistance in relation to the user's weight. Anti-shock backrest release system. This mechanism dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released. The seat depth adjustment provides adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs.



synchronised self-calibrating with 3-position adjustment (oscillation angles: position 0: backrest 0.4° seat 1.5°; position 1: backrest 7.9° seat 0.76°; position 2: backrest 16.9° seat 3.3°) and anti-shock release system. This mechanism allows the backrest to adapt automatically to the user's weight without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat.



synchronised self-calibrating with 3-position adjustment and seat depth adjustment (70 mm). Oscillation angles: position 0: backrest 0.4° seat 1.5°; position 1: backrest 7.9° seat 0.76°; position 2: backrest 16.9° seat 3.3°) and anti-shock release system. This mechanism allows the backrest to adapt automatically to the user's weight without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat. The seat depth adjustment provides adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs.



height adjustment	by gas lift. Allows an excursion of 13 cm.		
base	5-star base in white nylon or die-cast aluminium. Self-locking dual-tread rubbered swivel castors, Ø 65 mm standard (Ø 50 mm for aluminium base)		
ergonomics	Takk is equipped with the necessary mechanisms for correct and comfortable use, even for prolonged periods, provided that the following conditions are met: the standard sitting position requires the maintenance of angles of 90° between the torso and thigh, between the thigh and leg and between the leg and foot. These last two angles are essential so that the foot, resting completely on the underlying surface, can unload part of the weight of the lower limb onto it, avoiding excessive compression on the posterior surface of the thigh and favouring the return of the blood circulating in the leg veins towards the heart.		
base finishes	Polished aluminium White nylon		
mesh	<p>Cat. E Polo</p> <p> RPRO RPBI RPG1 RPGR RPRE RPZO </p> <hr/> <p>Cat. N Spin</p> <p> S1V1 S1B8 S1R0 S1V0 S1G4 S1G0 S1G2 S1NE </p> <hr/> <p>Cat. V Volley FR</p> <p> R6NE </p>		
fabrics	<p>Cat. B Bondai</p> <p> TBB2 TBB1 TBB6 TBB4 TBV2 TBR2 TBR1 TBMN TBR3 TBR0 TBV1 TBV4 TBV0 TBB0 TBM1 TBBE TBGC TBAV TBG0 TBZ0 </p> <hr/> <p>Cat. H Madrid 3D</p> <p> T3M0 T3V0 T3V2 T3B2 T3V4 T3M3 T3B3 </p> <p>Boss FR (eco-leather)</p> <p> T4BI T4M5 T4M8 T4M6 T4M4 T4M7 T4M3 T4M0 T4M1 T4M2 T4V0 T4G0 T4G1 T4R1 T4R0 T4B0 T4B1 T4V4 T4V1 T4NE </p>		

Cat. D












King Flex

 XFML	 XFB2	 XFAZ	 XFH6	 XFB4	 XFBX	 XFRM
 XFZC	 XFM0	 XFS2	 XFYD	 XFYS	 XFV1	 XFVM
 XFV0	 XFB0	 XFGC	 XFGS	 XFJ1	 XFM1	 XFCD
 XFZ0						

Time

 S6G2	 S6V0	 S6R2	 S6R1	 S6R6	 S6R3	 S6R5
 S6B7	 S6B1	 S6B0	 S6B4	 S6V1	 S6V3	 S6V4
 S6M2	 S6M1	 S6M0	 S6G0	 S6B5	 S6G1	

Skill (eco-leather)
















 PGM3	 PGTR	 PGCD	 PGTA	 PGR1	 PGCG	 PGBZ
 PGBB	 PGVC	 PGM2	 PGNE			

Cat. F

Step

 STX2	 STZ9	 STSB	 STE1	 STBS	 STVU	 STE4
 STE3	 STE2	 STNE				

















Chili

 S0G6	 S0G2	 S0G3	 S0M3	 S0V2	 S0R0	 S0R4
 S0RA	 S0R7	 S0R2	 S0B9	 S0B8	 S0V5	 S0V6
 S0V7	 S0NE					

Stromboli

 S8G0	 S8M1	 S8R1	 S8R3	 S8R2	 S8B3	 S8B2
 S8B0	 S8V2	 S8NE				

Silvertex

 SBR7	 SBV1	 SBR3	 SBR4	 SBR5	 SBR6	 SBB7
 SBB3	 SBB6	 SBG1	 SBB1	 SBM2	 SBV4	 SBV6
 SBV3	 SBG6					
















Valencia

 SWR6	 SWBI	 SWV7	 SWRA	 SWR8	 SWR3	 SWR2
 SWB8	 SWG4	 SWB9	 SWB2	 SWM6	 SWG0	 SWG8
 SWG7	 SWG1					


Jet

 JTW2	 JTW3	 JTH2	 JTGM	 JTYF	 JT1R	 JTRG
 JTO1	 JTR1	 JTVM	 JT07	 JTV1	 JTG3	 JTV7
 JTC1	 JTV8	 JTB3	 JTZ6	 JTM2	 JTZ0	

Magnum (eco-leather)

 T5G7	 T5B0	 T5B6	 T5B2	 T5B5	 T5R4	 T5R6
 T5V3	 T5G1	 T5M6	 T5M5	 T5G4	 T5M3	 T5V8
 T5NE						

Connect




Rivet




Era



Go Check




Rondo



Cat. G


Focus



Focus Melange




Savanna



ABACUS


Synchronised lockable in 3 positions

Without armrests.




**Synchronised lockable in 3 positions
with seat depth adjustment**


Without armrests.




1D adjustable armrests.




1D adjustable armrests.



1D adjustable armrests + headrest.




1D adjustable armrests + headrest




Synchronised self-calibrating with 3-position adjustment


Without armrests.



1D adjustable armrests.




1D adjustable armrests + headrest.




Synchronised self-calibrating with 3-position adjustment with seat depth adjustment

Without armrests.



1D adjustable armrests.



1D adjustable armrests + headrest.

